





Building Automation Solutions



https://crestpak.com/home-automation/



Crest Building Automation Solutions

Seamless Integration, Perfect Customization, Intutive User Interface
























Smart Control



Make Your Own Comfort

Control Your Whole Home





Concept

To provide reliable network. We provide whole home mesk wifi system, Dual band Router for whole home Wifi Coverage. Three Units cover 6000 Sqft. Smart home control solution by Crest are designed to provide complete control and monitoring of all smart devices including Switches and Sockets, Sensors provide information to the control system on which scene can be programmed for group operations, time and event based scenes can be created as per customers requirement.

Smart Lighting

One-stop smart lighting solutions, including smart lighting hardware solutions, all-in-one apps, home lighting apps and commercial lighting. You can now make any smart lighting products and solutions, and build any lighting scenarios you want.

- Ceiling Lights
- Down Lights
- Strip Light
- Light Bulb
- Ambient Lights





Smart Electrical

It covers a vast range of sockets and switches in differnet gangs, shapes and colors including wall switches, wall sockets, dimmers for fans and lights, power switches for AC and Boiler, 2 Way switches for stair hall, etc. Complete range in white, black, silver and golden colors. Scene switches are available for scene controls as well as curtain switches to open and close curtains.











Smart Environment

Refresh yourself with healthy and cozy home life. Smart Solutions serve heaters, fans, air quality monitoring and improvement products.

- Humidity Temperature Sensor
- Air Quality Improvement
- Ambient Humidity and Temperature Maintenance



Smart PET Care

Smart pet tech solutions span all daily pet activities including feeding, drinking, cleaning, sleeping, and outdoor activities.

- Pet Solution Matrix
- Feeding and Drinkings
- Cleaning





Smart Home Care

Smart solutions for major appliances covering refrigerators, air conditioners, washing machines, water heaters, and beyond.

- Major Appliance Solution Matrix
- Coming-Home Scenario
- Leaving-Home Scenario
- Sleep Scenario



Smart Curtains

Control your Natural ambient light with your mood and as per your requirement by automating curtains, we provide complete range of opening closing technology to work with all sort of curtains.

- Smart Slide Curtain
- Smart Roller Shade Curtain
- Smart Blinds Curtain





Safety and Security

- Smart Cameras
- Smart Locks
- Smart Intercoms
- Gate Automation
- Motion Sensors
- Door/ Window Sensors
- Wireless Alarms
- Gas Sensor
- Water Leakage Sensor
- SOS Switch



Smart Cameras



Product Features

- Indoor, Outdoor
- Wifi
- POE
- 360 Degree

Note: Different models with options of saving on local, NVR and cloud are available.

Smart Locks

Product Features





Password protection



Virtual password

(Any numbers can be added before or after the right ones)



Smart Intercom with Cloud

Product Features



Mobile access















Gate Automation

Product Features












All in One Remote

Remotely control IR+RF devices only with Mobile Phone App. Support smart switch, TV, Set-Top box, air conditioner, fan etc. Integrate with home automation scenes, time based switching and energy saving themes.





Smart Panels

In addition to voice interaction, music playback, making to-do lists, setting alarms, streaming podcasts, and playing audiobooks, one can access complete house controls like switches, appliances, lighting, cameras security etc.

Can program scenarios and create scenes to enjoy a fully Automated Home or Building.











Dimmable LED Lights

Creative have research and development facility and are developing retrofits for the various type of lighting fixtures using high efficient LED products from CREE OSRAM BRIDGELUX LIFUC With high Power factor and low THD.

The product range includes 1W~50W indoor and outdoor lighting with diffrent dimming options.

(Triac Dimmable / 0~10V / DALI Dimmable).

- LED Downlights
- LED Laser Blade Light
- LED Wall Washer Light
- LED Linear Recessed Light


- LED Wardrobe Light
- LED Vanity Light
- LED Wall Light
- LED Tree Mount Light

Dimming Options

Dimming is the infinitely variable adjustment of the light output of a light source. It enables the creation of different light scenes, increases the visual comfort and optimises the power consumption. LEDs require special dimmable control gear.

- Traic Dimmable
- 0~10V
- DALI Dimmable

Triac Dimmable









•0~10V

DIMMING WITH AN LED LIGHT BULB







• DALI Dimmable












Model	CR EL- JYX6W-DL	CR EL- JYX12W-DL	CR EL- JYX18W-DL	CR EL- JYX24W-DL	
Power	6W 12W 18W		6W 12W 18W		24W
LED	SMD				
LED Source	BRIDGELUX				
Dimmable (Option)	Triac Dimmable / 0~10V / Dali Dimmable				
Power Factor	≽0.9				
LED Driver	Isolated (THD <20%)				
Material	Die Cast Aluminium				
Size (mm)	Ø 75xD90xH60	Ø 90xD110xH75	Ø115xD135xH90	Ø140xD165xH100	







Model	CREL-BD7W-DL	CREL-BD12W-DL	CREL-BD18W-DL	CREL-BD24W-DL
Power	7W	12W	18W	24W
LED	SMD			
LED Source		BRIDGELUX		
Dimmable (Option)	Triac Dimmable / 0~10V / Dali Dimmable			
Power Factor	≽0.9			
LED Driver	Isolated (THD≤20%)			
Material	Die Cast Aluminium			
Size (mm)	Ø 100xH50	Ø 120xH55	Ø 170xH55	Ø210xH65







Model	CREL-TS-3W-DL	CR-TDF-5W-DL	CREL-C9-10W-DL	CR-HR-20W-DL	
Power	3W	3W 5W 10W		12W	
LED		SMD/COB			
LED Source		BRIDGELUX			
Dimmable (Option)	Tr	Triac Dimmable / 0~10V / Dali Dimmable			
Power Factor		≽0.9			
LED Driver		Isolated (THD≤20%)			
Material		Die Cast Aluminium			
Size (mm)	Ø 40xH30.8	Ø 65xH77	Ø95xH71	Ø 80xH102	










R-TDF-5W-DL CREL-C9-10W-DL



Model	CR-TD-3W-DL	CR-TD-5W-DL	CR-TD-7W-DL	CR-TD-10W-DL	CR-TD-12W-DL	CR-TD-20W-DL
Power	3W	5W	7W	10W	12W	20W
LED		SMD/COB				
LED Source		BRIDGELUX				
Dimmable (Option)		Triac Dimmable / 0~10V / Dali Dimmable				
Power Factor		≥0.9				
LED Driver		Isolated (THD≼20%)				
Material		Die Cast Aluminium				












Model	CR-SD-5W-DL	CR-SD-8W-DL	CR-SD-12W-DL	CR-HR-7W-WWL	CR-HR-12W-WWL	CR-HR-20W-WWL
Power	5W	8W	12W	7W	12W	20W
LED		COB/SMD				
LED Source	BRIDGELUX					
Dimmable (Option)	Triac Dimmable / 0~10V / Dali Dimmable					
Power Factor	≥0.9					
LED Driver	Isolated (THD<20%)					
Material	Die Cast Aluminium					
















Model	CR-LC5-15W-LRL		
Power	15W		
LED	SMD		
LED Source	BRIDGELUX		
Dimmable (Option)	Triac Dimmable / 0~10V / Dali Dimmable		
Power Factor	≥0.9		
LED Driver	Isolated (THD≤20%)		
Material	Die Cast Aluminium		
Size (mm)	Size (mm) 17.8x13x1300		













Model	CR-LC8-15W-TBL		
Power	15W		
LED	SMD		
LED Source	BRIDGELUX		
Dimmable (Option)	Triac Dimmable / 0~10V / Dali Dimmable		
Power Factor	≽0.9		
LED Driver	Isolated (THD≤20%)		
Material	Die Cast Aluminium		
Size (mm)	17.8x13x1300		









Model	CR-LC5-15W-LRL
Power	15W
LED	SMD
LED Source	BRIDGELUX
Dimmable (Option)	Triac Dimmable / 0~10V / Dali Dimmable
Power Factor	≽0.9
LED Driver	Isolated (THD<20%)
Material	Die Cast Aluminium
Size (mm)	17.8x13x1300











Model	CR-MB5W-OWL	CR-40233-OWL	CR-012AW-OWL	CR-MB10W-OWL	
Power	5W	5W 5W 7W 10		10W	
LED		SMD/COB			
LED Source		BRIDGELUX			
Dimmable (Option)		Triac Dimmable / 0~10V / Dali Dimmable			
Power Factor		≥0.9			
LED Driver		Isolated (THD<20%)			
Material		Die Cast Aluminium			









Model	CR-LT-10W-OWL
Power	10W
LED	SMD/COB
LED Source	BRIDGELUX
Dimmable (Option)	Triac Dimmable / 0~10V / Dali Dimmable
Power Factor	≥0.9
LED Driver	Isolated (THD<20%)
Material	Die Cast Aluminium
Size (mm)	Ø106xH47









142, Industrial Triangle, Kahutta Road, Islamabad Pakistan.

Tel: 92-51-4492001-3

606, F-2 Johar Town Lahore-Pakistan Tel: 92-42-35220691-3 Fax: 92-42-35220694 # A-52, Block-C, Gulshan-e-Jamal, karachi-Pakistan. Tel: 92-21-34680652 Ras Al Khaimah – United Arab Emirates M: + 971 504 247 827 E: info@crestpak.com